

BARSHI EXPANDED REGISTRY
(To cover Osmanabad & Beed District)
Nargis Dutt Memorial Cancer Hospital
In collaboration with
National Cancer Registry Programme (ICMR)

Dr B.M. Nene, Principal Investigator

Mrs K. Jayant, Hon. Consultant

Mr B.S. Shukla, Administrator

Mr M.K. Chauhan, Project Chief Co-ordinator

As per the recommendations of the Steering Committee of NCRP it was decided to expand Rural Cancer Registry at Barshi to cover Osmanabad and Beed Districts by different methodology from 2006. As we have been interacting with the Registry population for more than two decades, the cancer awareness has increased and now the literacy rates have also improved. We have reduced the Registry inputs since 2004 and expanded the registry area to cover Osmanabad & Beed District, by following atlas methodology and collection of data started from 2007.

The registry covered two districts Osmanabad & Beed with a total population of about 3.5 million in 19 tehsils spread over 18262 km². The district is located on the eastern side of Marathwada region of Maharashtra. Most of the population is Hindu (96%), Muslims (3%) and other religious groups (1%). The registry is funded by the Indian Council of Medical Research, New Delhi. Data collection is undertaken by using usual methods of registry.

Ambejogai: SRTR Medical College and Hospital at Ambejogai is a major source for histopathology data collection. 35 to 40% cases of Beed District attend this Hospital, which has both histology and Radiation facilities. We meet the Dean, Head of Pathology Dept and Asst Prof of Pathology for data collection periodically. The Registry has appointed one Social Investigator who has been given training in data collection and filling up of the core proforma. Patient information is collected from Pathology Depts., FNAC Dept., IPD Dept. and OPD Dept.

Nargis Dutt Memorial Cancer Hospital (NDMCH), Barshi is one of the major diagnostic and treatment facilities for cancer patients from both Osmanabad and Beed districts. Filling of core proforma as well as coding is done by existing registry staff and the data is transmitted online.

We have installed a computer with Internet facility at SRTR Medical College and NDMCH. The login ID and password from NCRP is used to transmit the data online.

Beed district, which includes 11 tehsils is a big district and the methodology employed is not enough to complete the cancer registration because cancer awareness is low in the community. To improve the cancer awareness and cancer registration, we conduct awareness clinics with the help of NGOs at periodical intervals. All the expenses at the clinics are borne by the NGOs, including medicines, advertisement programmes, staff accommodation, lunch etc.

Mortality collection is the most difficult task in the registry because deaths are not generally medically certified. Information is collected from Municipal Corporation, government hospital and all other major hospitals. We have taken extra efforts to collect the death information by phone calls to relatives, through PHC health workers, Anganwadi workers and Asha workers. The deaths are finally matched with incidence records.

TABLE BRE-1: Main Sources of Registration of Incident Cases of Cancer: 2009 - Barshi Expanded

Name of the Institution	Number	%
Barshi Cancer Hospital	823	46.6
SRTR Medical College, Ambejogai	297	16.8
Civil Hospital (Ghati Hospital), Aurangabad	85	4.8
Other Hospital, Solapur	70	4.0
Dhoot Hospital, Aurangabad	40	2.3
Sai Path Lab, Beed	37	2.1
ICS Poona Registry Non / Resi-Bombay	32	1.8
Pravara Hospital, Loni, Ahemadnagar	28	1.6
Krishna Path Lab, Latur	25	1.4
Shri Path Lab (Dr. Jadhav), Beed	24	1.4
Sidheshwar Cancer Hospital, Solapur	23	1.3
Kahate Pathology Lab, Solapur	22	1.2
Sidheshwar Lab, Latur	20	1.1
Dekhane Pathology Lab, Solapur	20	1.1
Civil Hospital & V.M. Medical College, Solapur	17	1.0
Others	202	11.4
Total	1765	100.0

1. Institutions listed have registered at least one percent of all cases in the registry for the year 2009.
2. The numbers and proportion listed are the minimum number of cases. Institutions could have registered/ reported more cases, since duplicate registrations and non-resident/registry cases are not included.

Figure BRE -1
Population Pyramid showing Age Distribution: 2009
Barshi Expanded Urban Agglomeration




TABLE BRE-2
Population by Five Year Age Group and Gender: 2009
Number and Relative Proportion (%)
Barshi Expanded

Age Group	Males		Females	
	Number	%	Number	%
00-04	183130	8.45	154167	7.66
05-09	232828	10.75	209736	10.42
10-14	332953	15.37	294890	14.65
15-19	253285	11.69	185043	9.19
20-24	168511	7.78	130440	6.48
25-29	135927	6.27	143160	7.11
30-34	139170	6.42	147746	7.34
35-39	137195	6.33	144481	7.18
40-44	119761	5.53	92890	4.61
45-49	84736	3.91	70250	3.49
50-54	57135	2.64	46749	2.32
55-59	43322	2.00	55112	2.74
60-64	46806	2.16	94070	4.67
65-69	107214	4.95	123850	6.15
70-74	72912	3.37	58063	2.88
75+	51721	2.39	62217	3.09
Total	2166606	100.00	2012864	100.00

TABLE BRE-3(a): Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2009 - Males

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	1	-	-	-	2	-	-	2	1	1	-	-	7	0.88
C01-C02	Tongue	-	-	-	-	-	-	2	5	8	1	10	2	5	9	4	1	-	47	5.90
C03-C06	Mouth	-	-	-	-	2	-	8	9	16	5	4	5	3	10	5	1	-	68	8.53
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	2	-	1	-	-	2	-	1	-	6	0.75
C09	Tonsil	-	-	-	-	-	-	-	1	-	2	2	-	1	-	2	-	-	8	1.00
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-	1	-	6	0.75
C11	Nasopharynx	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	1	-	4	0.50
C12-C13	Hypopharynx	-	-	-	-	-	-	1	-	1	-	2	6	4	5	1	1	-	21	2.63
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	4	0.50
C15	Oesophagus	-	-	-	-	-	-	2	1	2	3	5	5	10	15	5	9	-	57	7.15
C16	Stomach	-	-	-	-	-	-	1	-	3	4	3	2	4	6	2	4	-	29	3.64
C17	Small Intestine	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	2	0.25
C18	Colon	-	-	-	1	-	1	1	2	2	3	2	4	3	1	4	3	-	27	3.39
C19-C20	Rectum	-	-	-	-	1	1	-	-	1	-	5	2	4	5	4	2	-	25	3.14
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	3	0.38
C22	Liver	-	-	-	-	-	-	-	1	1	1	3	6	5	5	7	5	-	34	4.27
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	-	5	0.63
C25	Pancreas	-	-	-	-	-	1	-	-	-	-	-	-	3	4	1	1	-	10	1.25
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	2	-	7	0.88
C32	Larynx	-	-	-	-	1	-	1	-	2	4	2	3	4	12	7	2	-	38	4.77
C33-C34	Lung etc.	-	-	-	-	-	-	-	2	-	4	4	3	9	6	2	6	-	36	4.52
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	3	0.38
C40-C41	Bone	-	1	1	1	1	1	-	-	2	1	-	-	2	-	1	1	-	12	1.51
C43	Melanoma of Skin	-	-	-	1	-	-	-	-	1	-	-	1	1	-	-	-	-	4	0.50
C44	Other Skin	-	-	-	-	-	1	1	2	3	1	2	-	2	6	1	4	-	23	2.89
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	1	-	-	-	1	-	1	1	-	1	1	1	-	-	-	1	-	8	1.00
C50	Breast	-	-	-	-	-	-	-	1	1	2	-	-	1	1	3	2	-	11	1.38
C60	Penis	-	-	-	-	-	-	-	-	-	-	3	2	2	3	6	8	-	24	3.01
C61	Prostate	-	-	-	-	-	-	-	-	-	1	1	2	6	16	10	8	-	44	5.52
C62	Testis	-	-	-	-	1	1	3	-	1	1	3	-	-	3	-	-	-	13	1.63
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	1	-	1	1	2	1	-	1	1	1	1	1	-	-	11	1.38
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	2	1	-	3	5	4	2	-	17	2.13
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.13
C69	Eye	1	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	5	0.63
C70-C72	Brain, NS	-	-	-	-	1	-	-	2	2	2	1	1	1	1	-	-	-	11	1.38
C73	Thyroid	-	-	-	-	-	-	1	-	2	-	1	-	1	2	-	-	-	7	0.88
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	2	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	5	0.63
C82-C85,C96	NHL	-	1	-	3	-	2	-	-	1	-	5	4	4	3	3	1	-	27	3.39
C88	Malig Imn. Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	-	4	0.50
C91	Lymphoid Leuk.	2	1	3	2	1	-	2	-	-	-	-	-	-	-	1	-	-	12	1.51
C92-C94	Myeloid Leukaemia	-	-	-	-	3	-	1	-	2	2	3	-	1	-	-	-	-	12	1.51
C95	Leukaemia Uns	-	2	-	2	2	2	-	-	2	1	1	-	1	-	-	-	-	13	1.63
O&U*	Other and Uns	-	-	2	2	1	-	1	3	4	7	12	10	9	14	11	10	-	86	10.79
	All Sites	4	7	6	13	16	13	28	32	62	54	84	63	102	143	90	80	-	797	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE BRE-3(b): Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2009 - Females

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	Tongue	-	-	-	-	-	2	2	2	3	-	3	8	2	11	4	-	-	37	3.82
C03-C06	Mouth	-	-	-	-	-	2	1	1	3	2	4	3	4	5	-	1	-	26	2.69
C07-C08	Salivary Gland	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	0.21
C09	Tonsil	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.10
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	Nasopharynx	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.10
C12-C13	Hypopharynx	-	-	-	-	-	-	-	1	1	3	-	1	2	2	-	-	-	10	1.03
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	3	0.31
C15	Oesophagus	-	-	-	-	-	-	1	-	3	2	3	6	1	9	3	4	-	32	3.31
C16	Stomach	-	-	-	-	-	-	2	-	1	1	-	-	3	1	1	3	-	12	1.24
C17	Small Intestine	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.10
C18	Colon	-	-	-	-	2	-	-	1	-	-	4	-	2	-	1	1	-	11	1.14
C19-C20	Rectum	-	-	-	-	-	-	2	-	-	4	-	-	1	-	-	1	-	8	0.83
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.10
C22	Liver	-	-	-	-	-	-	-	-	-	2	-	-	3	3	1	-	-	9	0.93
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	1	2	1	1	-	1	-	-	6	0.62
C25	Pancreas	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	4	0.41
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	3	0.31
C32	Larynx	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	1	-	4	0.41
C33-C34	Lung etc.	-	-	-	-	-	-	-	1	2	1	-	-	1	3	2	-	-	10	1.03
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	4	0.41
C40-C41	Bone	-	-	-	-	1	-	2	-	-	-	-	1	2	-	-	1	-	7	0.72
C43	Melanoma of Skin	-	-	1	-	-	-	-	-	2	-	1	-	-	1	1	1	-	7	0.72
C44	Other Skin	-	-	1	1	-	1	2	-	1	1	-	1	1	3	-	-	-	12	1.24
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.10
C47+C49	Conn. & Soft Tissue	-	-	-	1	1	1	-	-	2	-	-	-	-	-	-	-	-	5	0.52
C50	Breast	-	-	-	-	1	-	13	23	37	39	30	23	26	27	13	3	-	235	24.28
C51	Vulva	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	Vagina	-	-	-	-	-	1	-	2	3	1	1	-	-	1	2	1	-	12	1.24
C53	Cervix Uteri	-	-	-	-	-	7	9	27	39	49	42	33	48	42	21	8	-	325	33.57
C54	Corpus Uteri	-	-	-	-	-	-	-	2	5	2	-	1	-	4	-	-	-	14	1.45
C55	Uterus Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C56	Ovary etc.	-	-	-	-	1	-	1	5	3	7	8	2	9	6	5	1	-	48	4.96
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	0.10
C64	Kidney etc.	-	-	-	-	-	1	-	-	2	-	-	-	-	1	-	-	-	4	0.41
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	1	1	1	-	2	1	2	-	8	0.83
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	0.10
C69	Eye	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	2	0.21
C70-C72	Brain, NS	-	-	2	1	1	-	-	2	-	1	1	1	3	-	-	-	-	12	1.24
C73	Thyroid	-	-	-	-	1	1	2	-	1	-	4	2	2	2	1	-	-	16	1.65
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	0.10
C82-C85,C96	NHL	1	-	-	-	-	2	-	-	-	4	-	1	3	-	1	-	-	12	1.24
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	0.21
C91	Lymphoid Leuk.	-	1	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	5	0.52
C92-C94	Myeloid Leukaemia	-	-	-	1	1	-	1	4	2	-	1	-	1	1	-	-	-	12	1.24
C95	Leukaemia Uns	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	2	0.21
O&U *	Other and Uns	-	1	1	-	-	-	-	4	5	5	4	5	4	6	3	1	-	39	4.03
	All Sites	1	4	6	5	10	19	41	76	120	134	111	92	125	132	63	29	-	968	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE BRE-4(a): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2009 - Males

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	0.7	-	-	-	2.4	-	-	4.3	0.9	1.4	-	0.3	0.43	0.17	1.0
C01-C02	-	-	-	-	-	-	1.4	3.6	6.7	1.2	17.5	4.6	10.7	8.4	5.5	1.9	2.2	2.66	0.42	7.0
C03-C06	-	-	-	-	1.2	-	5.7	6.6	13.4	5.9	7.0	11.5	6.4	9.3	6.9	1.9	3.1	3.51	0.46	8.4
C07-C08	-	-	-	-	-	-	-	-	1.7	-	1.8	-	-	1.9	-	1.9	0.3	0.28	0.13	0.6
C09	-	-	-	-	-	-	-	0.7	-	2.4	3.5	-	2.1	-	2.7	-	0.4	0.50	0.19	1.4
C10	-	-	-	-	-	-	-	-	1.7	1.2	1.8	-	2.1	-	-	1.9	0.3	0.38	0.16	1.1
C11	-	-	-	-	0.6	-	-	-	-	-	-	2.3	2.1	-	-	1.9	0.2	0.26	0.14	0.6
C12-C13	-	-	-	-	-	-	0.7	-	0.8	-	3.5	13.8	8.5	4.7	1.4	1.9	1.0	1.37	0.33	3.6
C14	-	-	-	-	-	-	-	-	-	-	3.5	-	-	1.9	-	-	0.2	0.23	0.13	0.6
C15	-	-	-	-	-	-	1.4	0.7	1.7	3.5	8.8	11.5	21.4	14.0	6.9	17.4	2.6	3.10	0.46	6.8
C16	-	-	-	-	-	-	0.7	-	2.5	4.7	5.3	4.6	8.5	5.6	2.7	7.7	1.3	1.64	0.33	3.9
C17	-	-	-	-	-	0.7	-	-	-	-	-	-	-	-	1.4	-	0.1	0.09	0.06	-
C18	-	-	-	0.4	-	0.7	0.7	1.5	1.7	3.5	3.5	9.2	6.4	0.9	5.5	5.8	1.2	1.59	0.33	3.9
C19-C20	-	-	-	-	0.6	0.7	-	-	0.8	-	8.8	4.6	8.5	4.7	5.5	3.9	1.2	1.45	0.32	3.3
C21	-	-	-	-	-	-	-	-	-	-	1.8	-	2.1	0.9	-	-	0.1	0.20	0.13	0.6
C22	-	-	-	-	-	-	-	0.7	0.8	1.2	5.3	13.8	10.7	4.7	9.6	9.7	1.6	1.93	0.37	4.5
C23-C24	-	-	-	-	-	-	-	-	-	1.2	1.8	-	4.3	0.9	-	-	0.2	0.36	0.17	1.1
C25	-	-	-	-	-	0.7	-	-	-	-	-	-	6.4	3.7	1.4	1.9	0.5	0.49	0.18	0.8
C30-C31	-	-	-	-	-	-	-	-	-	1.2	-	2.3	4.3	-	1.4	3.9	0.3	0.44	0.18	1.1
C32	-	-	-	-	0.6	-	0.7	-	1.7	4.7	3.5	6.9	8.5	11.2	9.6	3.9	1.8	1.87	0.34	3.8
C33-C34	-	-	-	-	-	-	-	1.5	-	4.7	7.0	6.9	19.2	5.6	2.7	11.6	1.7	2.22	0.40	5.7
C37-C38	-	-	-	-	-	-	-	-	-	-	-	-	-	0.9	-	3.9	0.1	0.11	0.06	-
C40-C41	-	0.4	0.3	0.4	0.6	0.7	-	-	1.7	1.2	-	-	4.3	-	1.4	1.9	0.6	0.62	0.19	1.1
C43	-	-	-	0.4	-	-	-	-	0.8	-	-	2.3	2.1	-	-	-	0.2	0.26	0.14	0.7
C44	-	-	-	-	-	0.7	0.7	1.5	2.5	1.2	3.5	-	4.3	5.6	1.4	7.7	1.1	1.11	0.25	2.1
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	0.5	-	-	-	0.6	-	0.7	0.7	-	1.2	1.8	2.3	-	-	-	1.9	0.4	0.49	0.18	0.9
C50	-	-	-	-	-	-	-	0.7	0.8	2.4	-	-	2.1	0.9	4.1	3.9	0.5	0.51	0.17	1.0
C60	-	-	-	-	-	-	-	-	-	-	5.3	4.6	4.3	2.8	8.2	15.5	1.1	1.18	0.27	2.0
C61	-	-	-	-	-	-	-	-	-	1.2	1.8	4.6	12.8	14.9	13.7	15.5	2.0	1.89	0.32	2.8
C62	-	-	-	-	0.6	0.7	2.2	-	0.8	1.2	5.3	-	-	2.8	-	-	0.6	0.70	0.21	1.2
C63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	0.4	-	0.7	0.7	1.5	0.8	-	1.8	2.3	2.1	0.9	1.4	-	0.5	0.60	0.19	1.3
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	2.4	1.8	-	6.4	4.7	5.5	3.9	0.8	0.81	0.22	1.6
C68	-	-	-	-	-	-	-	-	-	-	-	-	2.1	-	-	-	-	0.09	0.09	0.3
C69	0.5	-	-	-	-	-	-	-	-	-	-	-	2.1	1.9	-	1.9	0.2	0.25	0.12	0.3
C70-C72	-	-	-	-	0.6	-	-	1.5	1.7	2.4	1.8	2.3	2.1	0.9	-	-	0.5	0.67	0.21	1.9
C73	-	-	-	-	-	-	0.7	-	1.7	-	1.8	-	2.1	1.9	-	-	0.3	0.37	0.15	0.9
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	0.9	-	-	-	-	0.7	-	-	-	-	2.3	2.1	-	-	-	0.2	0.31	0.15	0.6
C82-C85,C96	-	0.4	-	1.2	-	1.5	-	-	0.8	-	8.8	9.2	8.5	2.8	4.1	1.9	1.2	1.67	0.35	3.9
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	-	1.2	1.8	-	-	-	2.7	-	0.2	0.21	0.12	0.5
C91	1.1	0.4	0.9	0.8	0.6	-	1.4	-	-	-	-	-	-	-	1.4	-	0.6	0.49	0.15	-
C92-C94	-	-	-	-	1.8	-	0.7	-	1.7	2.4	5.3	-	2.1	-	-	-	0.6	0.78	0.23	1.9
C95	-	0.9	-	0.8	1.2	1.5	-	-	1.7	1.2	1.8	-	2.1	-	-	-	0.6	0.71	0.21	1.1
O&U *	-	-	0.6	0.8	0.6	-	0.7	2.2	3.3	8.3	21.0	23.1	19.2	13.1	15.1	19.3	4.0	4.87	0.58	11.5
All	2.2	3.0	1.8	5.1	9.5	9.6	20.1	23.3	51.8	63.7	147.0	145.4	217.9	133.4	123.4	154.7	36.8	43.7	1.70	97.5

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE BRE-4(b): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2009 - Females

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	-	-	-	-	-	1.4	1.4	1.4	3.2	-	6.4	14.5	2.1	8.9	6.9	-	1.8	1.86	0.34	4.1
C03-C06	-	-	-	-	-	1.4	0.7	0.7	3.2	2.8	8.6	5.4	4.3	4.0	-	1.6	1.3	1.53	0.33	3.9
C07-C08	-	0.5	-	-	-	-	-	-	-	1.4	-	-	-	-	-	-	0.1	0.13	0.10	0.3
C09	-	-	-	-	-	-	-	-	-	1.4	-	-	-	-	-	-	-	0.09	0.09	0.3
C10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	-	-	0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.03	0.03	-
C12-C13	-	-	-	-	-	-	-	0.7	1.1	4.3	-	1.8	2.1	1.6	-	-	0.5	0.57	0.19	1.7
C14	-	-	-	-	-	-	-	-	-	1.4	-	1.8	1.1	-	-	-	0.1	0.20	0.12	0.6
C15	-	-	-	-	-	-	0.7	-	3.2	2.8	6.4	10.9	1.1	7.3	5.2	6.4	1.6	1.65	0.33	3.8
C16	-	-	-	-	-	-	1.4	-	1.1	1.4	-	-	3.2	0.8	1.7	4.8	0.6	0.51	0.16	0.9
C17	-	-	-	-	-	-	-	-	-	1.4	-	-	-	-	-	-	-	0.09	0.09	0.3
C18	-	-	-	-	1.5	-	-	0.7	-	-	8.6	-	2.1	-	1.7	1.6	0.5	0.74	0.25	1.8
C19-C20	-	-	-	-	-	-	1.4	-	-	5.7	-	-	1.1	-	-	1.6	0.4	0.50	0.19	1.2
C21	-	-	-	-	-	-	-	-	-	-	-	-	1.1	-	-	-	-	0.04	0.04	0.1
C22	-	-	-	-	-	-	-	-	-	2.8	-	-	3.2	2.4	1.7	-	0.4	0.41	0.15	1.0
C23-C24	-	-	-	-	-	-	-	-	-	1.4	4.3	1.8	1.1	-	1.7	-	0.3	0.45	0.20	1.3
C25	-	-	-	-	-	-	-	-	-	1.4	2.1	-	1.1	0.8	-	-	0.2	0.26	0.15	0.8
C30-C31	-	-	-	-	-	-	-	-	2.2	-	-	1.8	-	-	-	-	0.1	0.20	0.12	0.7
C32	-	-	-	-	-	-	0.7	-	-	-	-	-	2.1	-	-	1.6	0.2	0.16	0.08	0.3
C33-C34	-	-	-	-	-	-	-	0.7	2.2	1.4	-	-	1.1	2.4	3.4	-	0.5	0.44	0.15	1.0
C37-C38	-	-	-	-	-	-	-	-	1.1	1.4	2.1	-	-	0.8	-	-	0.2	0.28	0.15	0.8
C40-C41	-	-	-	-	0.8	-	1.4	-	-	-	-	1.8	2.1	-	-	1.6	0.3	0.33	0.13	0.5
C43	-	-	0.3	-	-	-	-	-	2.2	-	2.1	-	-	0.8	1.7	1.6	0.3	0.36	0.15	0.8
C44	-	-	0.3	0.5	-	0.7	1.4	-	1.1	1.4	-	1.8	1.1	2.4	-	-	0.6	0.55	0.17	0.9
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.05	0.05	-
C47+C49	-	-	-	0.5	0.8	0.7	-	-	2.2	-	-	-	-	-	-	-	0.2	0.30	0.13	0.4
C50	-	-	-	-	0.8	-	8.8	15.9	39.8	55.5	64.2	41.7	27.6	21.8	22.4	4.8	11.7	14.45	1.02	40.8
C51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	-	-	-	-	-	0.7	-	1.4	3.2	1.4	2.1	-	-	0.8	3.4	1.6	0.6	0.65	0.20	1.5
C53	-	-	-	-	-	4.9	6.1	18.7	42.0	69.8	89.8	59.9	51.0	33.9	36.2	12.9	16.1	19.51	1.18	54.0
C54	-	-	-	-	-	-	-	1.4	5.4	2.8	-	1.8	-	3.2	-	-	0.7	0.75	0.22	2.1
C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C56	-	-	-	-	0.8	-	0.7	3.5	3.2	10.0	17.1	3.6	9.6	4.8	8.6	1.6	2.4	2.83	0.45	7.7
C57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	-	-	-	-	0.8	-	-	-	-	-	-	-	-	-	-	-	-	0.06	0.06	-
C64	-	-	-	-	-	0.7	-	-	2.2	-	-	-	-	0.8	-	-	0.2	0.21	0.11	0.4
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	1.4	2.1	1.8	-	1.6	1.7	3.2	0.4	0.41	0.17	0.9
C68	-	-	-	-	-	-	-	-	1.1	-	-	-	-	-	-	-	-	0.06	0.06	0.2
C69	-	-	-	-	-	-	-	-	-	1.4	-	-	-	-	1.7	-	0.1	0.12	0.09	0.3
C70-C72	-	-	0.7	0.5	0.8	-	-	1.4	-	1.4	2.1	1.8	3.2	-	-	-	0.6	0.65	0.20	1.5
C73	-	-	-	-	0.8	0.7	1.4	-	1.1	-	8.6	3.6	2.1	1.6	1.7	-	0.8	1.00	0.28	2.3
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	-	-	0.7	-	-	-	-	-	-	-	-	-	-	0.04	0.04	-
C82-C85,C96	0.6	-	-	-	-	1.4	-	-	-	5.7	-	1.8	3.2	-	1.7	-	0.6	0.77	0.23	1.7
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	-	-	-	-	1.1	-	1.7	-	0.1	0.08	0.05	0.1
C91	-	0.5	-	0.5	-	-	0.7	0.7	1.1	-	-	-	-	-	-	-	0.2	0.24	0.11	0.3
C92-C94	-	-	-	0.5	0.8	-	0.7	2.8	2.2	-	2.1	-	1.1	0.8	-	-	0.6	0.62	0.19	1.4
C95	-	-	-	-	-	0.7	-	-	-	1.4	-	-	-	-	-	-	0.1	0.14	0.10	0.3
O&U *	-	0.5	0.3	-	-	-	-	2.8	5.4	7.1	8.6	9.1	4.3	4.8	5.2	1.6	1.9	2.24	0.39	6.1
All	0.6	1.9	2.0	2.7	7.7	13.3	27.8	52.6	129.2	190.7	237.4	166.9	132.9	106.6	108.5	46.6	48.1	56.6	1.99	149.1

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE BRE-5(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2009 - Males

ICD-10	Site	Clinical		Microscopic		X-Ray/Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	7	100.0	-	-	-	-	-	-	-	-	7	100.0
C01-C02	Tongue	3	6.4	41	87.2	-	-	-	-	3	6.4	-	-	47	100.0
C03-C06	Mouth	3	4.4	54	79.4	-	-	-	-	10	14.7	1	1.5	68	100.0
C07-C08	Salivary Gland	-	-	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C09	Tonsil	-	-	6	75.0	-	-	-	-	2	25.0	-	-	8	100.0
C10	Oth. Oropharynx	-	-	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C11	Nasopharynx	-	-	2	50.0	-	-	-	-	2	50.0	-	-	4	100.0
C12-C13	Hypopharynx	-	-	21	100.0	-	-	-	-	-	-	-	-	21	100.0
C14	Pharynx Unspecified	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C15	Oesophagus	3	5.3	45	78.9	-	-	-	-	9	15.8	-	-	57	100.0
C16	Stomach	3	10.3	20	69.0	1	3.4	1	3.4	4	13.8	-	-	29	100.0
C17	Small Intestine	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C18	Colon	1	3.7	20	74.1	-	-	-	-	6	22.2	-	-	27	100.0
C19-C20	Rectum	2	8.0	20	80.0	1	4.0	-	-	2	8.0	-	-	25	100.0
C21	Anus & Anal Canal	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C22	Liver	2	5.9	26	76.5	1	2.9	-	-	4	11.8	1	2.9	34	100.0
C23-C24	Gallbladder etc.	-	-	4	80.0	-	-	-	-	1	20.0	-	-	5	100.0
C25	Pancreas	-	-	6	60.0	2	20.0	-	-	2	20.0	-	-	10	100.0
C30-C31	Nose, Sinuses etc.	-	-	7	100.0	-	-	-	-	-	-	-	-	7	100.0
C32	Larynx	3	7.9	33	86.8	-	-	-	-	2	5.3	-	-	38	100.0
C33-C34	Lung etc.	3	8.3	29	80.6	-	-	-	-	4	11.1	-	-	36	100.0
C37-C38	Other Thoracic Organs	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C40-C41	Bone	1	8.3	10	83.3	-	-	-	-	1	8.3	-	-	12	100.0
C43	Melanoma of Skin	-	-	3	75.0	-	-	-	-	1	25.0	-	-	4	100.0
C44	Other Skin	-	-	22	95.7	-	-	-	-	1	4.3	-	-	23	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	7	87.5	-	-	-	-	1	12.5	-	-	8	100.0
C50	Breast	1	9.1	10	90.9	-	-	-	-	-	-	-	-	11	100.0
C60	Penis	1	4.2	22	91.7	-	-	-	-	1	4.2	-	-	24	100.0
C61	Prostate	5	11.4	37	84.1	1	2.3	-	-	1	2.3	-	-	44	100.0
C62	Testis	-	-	13	100.0	-	-	-	-	-	-	-	-	13	100.0
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	1	9.1	9	81.8	-	-	-	-	1	9.1	-	-	11	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	15	88.2	-	-	-	-	2	11.8	-	-	17	100.0
C68	Uns. Urinary Organs	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C69	Eye	-	-	4	80.0	1	20.0	-	-	-	-	-	-	5	100.0
C70-C72	Brain, Nervous System	-	-	8	72.7	-	-	-	-	3	27.3	-	-	11	100.0
C73	Thyroid	-	-	6	85.7	-	-	-	-	1	14.3	-	-	7	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	4	80.0	-	-	-	-	1	20.0	-	-	5	100.0
C82-C85,C96	NHL	-	-	26	96.3	-	-	-	-	1	3.7	-	-	27	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	2	50.0	-	-	-	-	2	50.0	-	-	4	100.0
C91	Lymphoid Leuk.	-	-	11	91.7	-	-	-	-	1	8.3	-	-	12	100.0
C92-C94	Myeloid Leukaemia	-	-	9	75.0	-	-	-	-	3	25.0	-	-	12	100.0
C95	Leukaemia Uns	-	-	10	76.9	-	-	-	-	3	23.1	-	-	13	100.0
O&U *	Other and Uns	2	2.3	73	84.9	2	2.3	1	1.2	7	8.1	1	1.2	86	100.0
	All Sites	34	4.3	667	83.7	9	1.1	2	0.3	82	10.3	3	0.4	797	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE BRE-5(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2009 - Females

ICD-10	Site	Clinical		Microscopic		X-Ray/Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	Tongue	-	-	35	94.6	-	-	-	-	2	5.4	-	-	37	100.0
C03-C06	Mouth	2	7.7	23	88.5	-	-	-	-	1	3.8	-	-	26	100.0
C07-C08	Salivary Gland	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C09	Tonsil	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	Nasopharynx	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C12-C13	Hypopharynx	-	-	9	90.0	-	-	-	-	1	10.0	-	-	10	100.0
C14	Pharynx Unspecified	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C15	Oesophagus	-	-	28	87.5	-	-	-	-	4	12.5	-	-	32	100.0
C16	Stomach	-	-	10	83.3	1	8.3	-	-	1	8.3	-	-	12	100.0
C17	Small Intestine	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C18	Colon	-	-	10	90.9	-	-	-	-	1	9.1	-	-	11	100.0
C19-C20	Rectum	-	-	7	87.5	-	-	-	-	1	12.5	-	-	8	100.0
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	1	100.0	-	-	1	100.0
C22	Liver	-	-	8	88.9	-	-	-	-	1	11.1	-	-	9	100.0
C23-C24	Gallbladder etc.	-	-	3	50.0	1	16.7	-	-	2	33.3	-	-	6	100.0
C25	Pancreas	-	-	3	75.0	-	-	-	-	1	25.0	-	-	4	100.0
C30-C31	Nose, Sinuses etc.	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C32	Larynx	1	25.0	3	75.0	-	-	-	-	-	-	-	-	4	100.0
C33-C34	Lung etc.	1	10.0	5	50.0	-	-	-	-	4	40.0	-	-	10	100.0
C37-C38	Other Thoracic Organs	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C40-C41	Bone	-	-	7	100.0	-	-	-	-	-	-	-	-	7	100.0
C43	Melanoma of Skin	-	-	7	100.0	-	-	-	-	-	-	-	-	7	100.0
C44	Other Skin	-	-	10	83.3	1	8.3	-	-	1	8.3	-	-	12	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C47+C49	Conn. & Soft Tissue	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C50	Breast	6	2.6	216	91.9	1	0.4	-	-	12	5.1	-	-	235	100.0
C51	Vulva	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	Vagina	1	8.3	11	91.7	-	-	-	-	-	-	-	-	12	100.0
C53	Cervix Uteri	24	7.4	284	87.4	2	0.6	-	-	12	3.7	3	0.9	325	100.0
C54	Corpus Uteri	-	-	14	100.0	-	-	-	-	-	-	-	-	14	100.0
C55	Uterus Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C56	Ovary etc.	1	2.1	37	77.1	1	2.1	-	-	9	18.8	-	-	48	100.0
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C64	Kidney etc.	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	7	87.5	-	-	-	-	1	12.5	-	-	8	100.0
C68	Uns. Urinary Organs	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C69	Eye	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C70-C72	Brain, Nervous System	-	-	9	75.0	-	-	-	-	3	25.0	-	-	12	100.0
C73	Thyroid	-	-	14	87.5	-	-	-	-	2	12.5	-	-	16	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C82-C85,C96	NHL	-	-	12	100.0	-	-	-	-	-	-	-	-	12	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C91	Lymphoid Leuk.	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C92-C94	Myeloid Leukaemia	-	-	11	91.7	-	-	-	-	1	8.3	-	-	12	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	2	100.0	-	-	2	100.0
O&U *	Other and Uns	-	-	31	79.5	1	2.6	1	2.6	6	15.4	-	-	39	100.0
	All Sites	36	3.7	851	87.9	8	0.8	1	0.1	69	7.1	3	0.3	968	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE BRE-6(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2009 - Males

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	4	57.1	-	-	3	42.9	-	-	-	-	-	-	7	100.0
C01-C02	Tongue	40	85.1	-	-	1	2.1	-	-	-	-	6	12.8	47	100.0
C03-C06	Mouth	52	76.5	-	-	2	2.9	-	-	-	-	14	20.6	68	100.0
C07-C08	Salivary Gland	5	83.3	-	-	1	16.7	-	-	-	-	-	-	6	100.0
C09	Tonsil	5	62.5	-	-	1	12.5	-	-	-	-	2	25.0	8	100.0
C10	Oth. Oropharynx	6	100.0	-	-	-	-	-	-	-	-	-	-	6	100.0
C11	Nasopharynx	2	50.0	-	-	-	-	-	-	-	-	2	50.0	4	100.0
C12-C13	Hypopharynx	21	100.0	-	-	-	-	-	-	-	-	-	-	21	100.0
C14	Pharynx Unspecified	4	100.0	-	-	-	-	-	-	-	-	-	-	4	100.0
C15	Oesophagus	45	78.9	-	-	-	-	-	-	-	-	12	21.1	57	100.0
C16	Stomach	18	62.1	-	-	2	6.9	-	-	-	-	9	31.0	29	100.0
C17	Small Intestine	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C18	Colon	19	70.4	-	-	1	3.7	-	-	-	-	7	25.9	27	100.0
C19-C20	Rectum	20	80.0	-	-	-	-	-	-	-	-	5	20.0	25	100.0
C21	Anus & Anal Canal	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C22	Liver	11	32.4	-	-	15	44.1	-	-	-	-	8	23.5	34	100.0
C23-C24	Gallbladder etc.	4	80.0	-	-	-	-	-	-	-	-	1	20.0	5	100.0
C25	Pancreas	4	40.0	-	-	2	20.0	-	-	-	-	4	40.0	10	100.0
C30-C31	Nose, Sinuses etc.	7	100.0	-	-	-	-	-	-	-	-	-	-	7	100.0
C32	Larynx	32	84.2	-	-	1	2.6	-	-	-	-	5	13.2	38	100.0
C33-C34	Lung etc.	19	52.8	-	-	10	27.8	-	-	-	-	7	19.4	36	100.0
C37-C38	Other Thoracic Organs	1	33.3	-	-	2	66.7	-	-	-	-	-	-	3	100.0
C40-C41	Bone	10	83.3	-	-	-	-	-	-	-	-	2	16.7	12	100.0
C43	Melanoma of Skin	3	75.0	-	-	-	-	-	-	-	-	1	25.0	4	100.0
C44	Other Skin	21	91.3	-	-	1	4.3	-	-	-	-	1	4.3	23	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	7	87.5	-	-	-	-	-	-	-	-	1	12.5	8	100.0
C50	Breast	10	90.9	-	-	-	-	-	-	-	-	1	9.1	11	100.0
C60	Penis	22	91.7	-	-	-	-	-	-	-	-	2	8.3	24	100.0
C61	Prostate	36	81.8	-	-	1	2.3	-	-	-	-	7	15.9	44	100.0
C62	Testis	12	92.3	-	-	1	7.7	-	-	-	-	-	-	13	100.0
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	9	81.8	-	-	-	-	-	-	-	-	2	18.2	11	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	15	88.2	-	-	-	-	-	-	-	-	2	11.8	17	100.0
C68	Uns. Urinary Organs	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C69	Eye	4	80.0	-	-	-	-	-	-	-	-	1	20.0	5	100.0
C70-C72	Brain, Nervous System	8	72.7	-	-	-	-	-	-	-	-	3	27.3	11	100.0
C73	Thyroid	5	71.4	-	-	1	14.3	-	-	-	-	1	14.3	7	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	3	60.0	-	-	-	-	-	-	1	20.0	1	20.0	5	100.0
C82-C85,C96	NHL	21	77.8	-	-	2	7.4	-	-	3	11.1	1	3.7	27	100.0
C88	Malig Imn. Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	1	25.0	-	-	-	-	-	-	1	25.0	2	50.0	4	100.0
C91	Lymphoid Leuk.	-	-	-	-	-	-	1	8.3	10	83.3	1	8.3	12	100.0
C92-C94	Myeloid Leukaemia	-	-	-	-	-	-	-	-	9	75.0	3	25.0	12	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	10	76.9	3	23.1	13	100.0
O&U*	Other and Uns	41	47.7	-	-	32	37.2	-	-	-	-	13	15.1	86	100.0
	All Sites	553	69.4	-	-	79	9.9	1	0.1	34	4.3	130	16.3	797	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE BRE-6(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2009 - Females

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	Tongue	35	94.6	-	-	-	-	-	-	-	-	2	5.4	37	100.0
C03-C06	Mouth	23	88.5	-	-	-	-	-	-	-	-	3	11.5	26	100.0
C07-C08	Salivary Gland	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C09	Tonsil	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	Nasopharynx	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C12-C13	Hypopharynx	9	90.0	-	-	-	-	-	-	-	-	1	10.0	10	100.0
C14	Pharynx Unspecified	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C15	Oesophagus	28	87.5	-	-	-	-	-	-	-	-	4	12.5	32	100.0
C16	Stomach	10	83.3	-	-	-	-	-	-	-	-	2	16.7	12	100.0
C17	Small Intestine	-	-	-	-	1	100.0	-	-	-	-	-	-	1	100.0
C18	Colon	10	90.9	-	-	-	-	-	-	-	-	1	9.1	11	100.0
C19-C20	Rectum	7	87.5	-	-	-	-	-	-	-	-	1	12.5	8	100.0
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	1	100.0	1	100.0
C22	Liver	5	55.6	-	-	3	33.3	-	-	-	-	1	11.1	9	100.0
C23-C24	Gallbladder etc.	3	50.0	-	-	-	-	-	-	-	-	3	50.0	6	100.0
C25	Pancreas	1	25.0	-	-	2	50.0	-	-	-	-	1	25.0	4	100.0
C30-C31	Nose, Sinuses etc.	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C32	Larynx	2	50.0	-	-	1	25.0	-	-	-	-	1	25.0	4	100.0
C33-C34	Lung etc.	1	10.0	-	-	4	40.0	-	-	-	-	5	50.0	10	100.0
C37-C38	Other Thoracic Organs	-	-	-	-	4	100.0	-	-	-	-	-	-	4	100.0
C40-C41	Bone	6	85.7	-	-	1	14.3	-	-	-	-	-	-	7	100.0
C43	Melanoma of Skin	7	100.0	-	-	-	-	-	-	-	-	-	-	7	100.0
C44	Other Skin	10	83.3	-	-	-	-	-	-	-	-	2	16.7	12	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	1	100.0	-	-	1	100.0
C47 + C49	Conn. & Soft Tissue	5	100.0	-	-	-	-	-	-	-	-	-	-	5	100.0
C50	Breast	182	77.4	-	-	34	14.5	-	-	-	-	19	8.1	235	100.0
C51	Vulva	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	Vagina	10	83.3	-	-	1	8.3	-	-	-	-	1	8.3	12	100.0
C53	Cervix Uteri	270	83.1	-	-	14	4.3	-	-	-	-	41	12.6	325	100.0
C54	Corpus Uteri	14	100.0	-	-	-	-	-	-	-	-	-	-	14	100.0
C55	Uterus Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C56	Ovary etc.	24	50.0	-	-	13	27.1	-	-	-	-	11	22.9	48	100.0
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C64	Kidney etc.	4	100.0	-	-	-	-	-	-	-	-	-	-	4	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	7	87.5	-	-	-	-	-	-	-	-	1	12.5	8	100.0
C68	Uns. Urinary Organs	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C69	Eye	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C70-C72	Brain, Nervous System	9	75.0	-	-	-	-	-	-	-	-	3	25.0	12	100.0
C73	Thyroid	6	37.5	-	-	8	50.0	-	-	-	-	2	12.5	16	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C82-C85,C96	NHL	12	100.0	-	-	-	-	-	-	-	-	-	-	12	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	2	100.0	-	-	2	100.0
C91	Lymphoid Leuk.	-	-	-	-	1	20.0	-	-	4	80.0	-	-	5	100.0
C92-C94	Myeloid Leukaemia	-	-	-	-	-	-	-	-	11	91.7	1	8.3	12	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	2	100.0	2	100.0
O&U*	Other and Uns	21	53.8	-	-	10	25.6	-	-	-	-	8	20.5	39	100.0
	All Sites	736	76.0	-	-	97	10.0	-	-	18	1.9	117	12.1	968	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE BRE-7(a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10): 2009 – Males

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	Tongue	-	-	-	-	-	1	3	1	2	-	2	2	-	3	4	-	-	18	6.16
C03-C06	Mouth	-	-	-	-	-	-	2	2	3	2	2	3	2	4	3	-	-	23	7.88
C07-C08	Salivary Gland	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	3	1.03
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	0.34
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	0.34
C11	Nasopharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C12-C13	Hypopharynx	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	1	-	6	2.05
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.34
C15	Oesophagus	-	-	-	-	-	-	1	-	-	1	1	5	4	5	-	2	-	19	6.51
C16	Stomach	-	-	-	-	-	-	1	2	-	1	2	2	6	3	3	-	-	20	6.85
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.34
C18	Colon	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	3	1.03
C19-C20	Rectum	-	-	-	-	-	1	1	3	-	-	2	-	-	2	1	4	-	14	4.79
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.34
C22	Liver	-	-	-	-	-	-	1	1	1	1	2	2	2	5	2	4	-	21	7.19
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	3	1.03
C25	Pancreas	-	-	-	-	-	-	-	-	-	1	1	-	-	3	-	1	-	6	2.05
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	3	1.03
C32	Larynx	-	-	-	-	1	-	-	-	-	-	1	-	4	4	-	2	-	12	4.11
C33-C34	Lung etc.	-	-	-	-	-	1	-	1	-	2	3	1	2	5	1	3	-	19	6.51
C37-C38	Other Thoracic Organs	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	2	0.68
C40-C41	Bone	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	3	1.03
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.34
C44	Other Skin	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.34
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47 + C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	2	0.68
C50	Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C60	Penis	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	-	6	2.05
C61	Prostate	-	-	-	-	-	-	-	-	-	1	-	1	5	-	2	3	-	12	4.11
C62	Testis	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-	4	1.37
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	3	1.03
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, NS	-	-	-	-	-	1	-	1	-	2	-	1	-	1	-	-	-	6	2.05
C73	Thyroid	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	2	0.68
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	0.68
C82-C85, C96	NHL	1	-	-	-	1	1	-	-	-	-	-	3	-	-	-	-	-	6	2.05
C88	Malig Imn. Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	0.34
C91	Lymphoid Leuk.	1	1	2	-	1	-	-	2	-	-	-	-	-	-	-	-	-	7	2.40
C92-C94	Myeloid Leukaemia	-	2	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	6	2.05
C95	Leukaemia Uns	-	-	1	1	-	-	-	-	-	1	1	-	1	-	-	1	-	6	2.05
O&U*	Other and Uns	-	-	-	-	-	-	1	1	2	5	7	3	8	8	7	5	-	47	16.10
	All Sites	2	3	5	5	7	6	11	16	12	17	29	27	37	54	29	32	-	292	100.00

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE BRE-7(b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10): 2009 – Females

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	Tongue	-	-	-	-	-	-	-	-	-	1	2	-	1	1	1	1	-	7	2.60
C03-C06	Mouth	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	3	1.12
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	Tonsil	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.37
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	Nasopharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C12-C13	Hypopharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	0.37
C14	Pharynx Unsp.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	Oesophagus	-	-	-	-	-	-	-	1	-	1	4	-	3	4	-	3	-	16	5.95
C16	Stomach	-	-	-	-	-	-	1	-	2	1	-	-	-	1	-	-	-	5	1.86
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	-	4	1.49
C19-C20	Rectum	-	-	-	-	1	-	-	-	-	2	-	-	-	1	-	-	-	4	1.49
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.37
C22	Liver	-	-	-	-	-	-	-	-	-	1	-	1	1	3	-	1	-	7	2.60
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.37
C25	Pancreas	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	2	0.74
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	2	0.74
C32	Larynx	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.37
C33-C34	Lung etc.	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	-	-	5	1.86
C37-C38	Oth. Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	Bone	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	2	0.74
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.37
C44	Other Skin	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	2	0.74
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C50	Breast	-	-	-	-	-	-	1	4	5	13	7	5	5	6	4	1	-	51	18.96
C51	Vulva	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.37
C52	Vagina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C53	Cervix Uteri	-	-	-	-	-	1	4	5	6	4	15	12	16	7	10	6	1	87	32.34
C54	Corpus Uteri	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	2	0.74
C55	Uterus Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C56	Ovary etc.	-	-	-	-	-	1	-	-	1	-	2	1	-	3	1	-	-	9	3.35
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	0.37
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	0.74
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, NS	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	3	1.12
C73	Thyroid	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	3	1.12
C74	Adrenal Gland	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	2	0.74
C81	Hodgkins Disease	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	0.37
C82-C85,C96	NHL	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	4	1.49
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	0.74
C91	Lymphoid Leuk.	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	3	1.12
C92-C94	Myeloid Leukaemia	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-	-	-	4	1.49
C95	Leukaemia Uns	-	1	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	4	1.49
O&U *	Other and Uns	-	-	-	-	-	-	1	1	1	3	3	1	3	4	6	2	-	25	9.29
	All Sites	-	2	-	3	3	4	11	12	19	38	39	24	33	36	27	16	2	269	100.00

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE BRE-8(a): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2009 - Males

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	-	-	-	-	-	0.7	2.2	0.7	1.7	-	3.5	4.6	-	2.8	5.5	-	0.8	0.9	0.23	1.6
C03-C06	-	-	-	-	-	-	1.4	1.5	2.5	2.4	3.5	6.9	4.3	3.7	4.1	-	1.1	1.3	0.29	3.2
C07-C08	-	-	0.3	-	-	-	-	-	-	-	-	2.3	-	-	-	1.9	0.1	0.2	0.10	0.3
C09	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.4	-	-	-	0.03	-
C10	-	-	-	-	-	-	-	-	0.8	-	-	-	-	-	-	-	-	0.1	0.05	0.2
C11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C12-C13	-	-	-	-	-	-	-	0.7	-	-	-	-	2.1	0.9	2.7	1.9	0.3	0.3	0.11	0.4
C14	-	-	-	-	-	-	-	-	-	-	-	-	-	0.9	-	-	-	-	0.03	-
C15	-	-	-	-	-	-	0.7	-	-	1.2	1.8	11.5	8.5	4.7	-	3.9	0.9	1.2	0.31	3.1
C16	-	-	-	-	-	-	-	0.7	1.7	-	1.8	4.6	4.3	5.6	4.1	5.8	0.9	1.0	0.24	1.9
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	0.9	-	-	-	-	0.03	-
C18	-	-	-	-	-	-	-	-	-	-	-	4.6	2.1	-	-	-	0.1	0.3	0.16	0.9
C19-C20	-	-	-	-	-	0.7	0.7	2.2	-	-	3.5	-	-	1.9	1.4	7.7	0.6	0.6	0.19	1.0
C21	-	-	-	-	-	-	-	-	-	-	-	-	2.1	-	-	-	-	0.1	0.09	0.3
C22	-	-	-	-	-	-	0.7	0.7	0.8	1.2	3.5	4.6	4.3	4.7	2.7	7.7	1.0	1.1	0.26	2.2
C23-C24	-	-	-	-	-	-	-	-	-	1.2	1.8	-	-	-	1.4	-	0.1	0.2	0.12	0.5
C25	-	-	-	-	-	-	-	-	-	1.2	1.8	-	-	2.8	-	1.9	0.3	0.3	0.13	0.5
C30-C31	-	-	-	-	-	-	-	-	-	-	-	2.3	2.1	-	-	1.9	0.1	0.2	0.13	0.6
C32	-	-	-	-	0.6	-	-	-	-	-	1.8	-	8.5	3.7	-	3.9	0.6	0.7	0.21	1.4
C33-C34	-	-	-	-	-	0.7	-	0.7	-	2.4	5.3	2.3	4.3	4.7	1.4	5.8	0.9	1.1	0.27	2.3
C37-C38	-	-	-	-	0.6	-	-	-	-	-	-	-	-	0.9	-	-	0.1	0.1	0.06	-
C40-C41	-	-	-	0.8	0.6	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.07	-
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	0.9	-	-	-	-	0.03	-
C44	-	-	-	0.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.04	-
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	-	-	-	-	-	1.8	-	2.1	-	-	-	0.1	0.2	0.12	0.6
C50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C60	-	-	-	-	-	-	-	-	-	-	1.8	-	2.1	1.9	1.4	1.9	0.3	0.3	0.14	0.6
C61	-	-	-	-	-	-	-	-	-	1.2	-	2.3	10.7	-	2.7	5.8	0.6	0.8	0.24	1.9
C62	-	-	-	-	0.6	0.7	0.7	-	-	-	1.8	-	-	-	-	-	0.2	0.2	0.12	0.3
C63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	0.7	-	-	-	1.8	-	2.1	-	-	-	0.1	0.2	0.13	0.6
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	-	-	-	-	-	0.7	-	0.7	-	2.4	-	2.3	-	0.9	-	-	0.3	0.4	0.16	0.9
C73	-	-	-	-	-	-	-	0.7	-	-	-	-	-	0.9	-	-	0.1	0.1	0.05	0.1
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	0.3	0.4	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.04	-
C82-C85,C96	0.5	-	-	-	0.6	0.7	-	-	-	-	-	6.9	-	-	-	-	0.3	0.4	0.19	0.9
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.4	-	-	-	0.03	-
C91	0.5	0.4	0.6	-	0.6	-	-	1.5	-	-	-	-	-	-	-	-	0.3	0.3	0.12	0.3
C92-C94	-	0.9	-	-	0.6	-	-	0.7	0.8	-	1.8	-	-	-	-	-	0.3	0.3	0.13	0.6
C95	-	-	0.3	0.4	-	-	-	-	-	1.2	1.8	-	2.1	-	-	1.9	0.3	0.3	0.15	0.8
O&U *	-	-	-	-	-	-	0.7	0.7	1.7	5.9	12.3	6.9	17.1	7.5	9.6	9.7	2.2	2.7	0.44	6.7
All	1.1	1.3	1.5	2.0	4.2	4.4	7.9	11.7	10.0	20.1	50.8	62.3	79.0	50.4	39.8	61.9	13.5	16.0	1.03	34.5

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE BRE-8(b): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2009 - Females

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	-	-	-	-	-	-	-	-	1.4	4.3	-	1.1	0.8	1.7	1.6	0.3	0.4	0.19	1.1	
C03-C06	-	-	-	-	-	-	0.7	-	1.1	-	-	-	1.1	-	-	-	0.1	0.1	0.09	0.3
C07-C08	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	-	-	-	-	-	-	-	-	1.4	-	-	-	-	-	-	-	-	0.1	0.09	0.3
C10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C12-C13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.7	-	-	-	0.03	-
C14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	-	-	-	-	-	-	-	0.7	-	1.4	8.6	-	3.2	3.2	-	4.8	0.8	0.9	0.26	2.2
C16	-	-	-	-	-	-	0.7	-	2.2	1.4	-	-	-	0.8	-	-	0.2	0.3	0.13	0.7
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	-	-	-	-	-	-	-	-	4.3	-	-	-	1.1	-	-	-	0.2	0.3	0.15	1.0
C19-C20	-	-	-	-	0.8	-	-	-	2.8	-	-	-	-	0.8	-	-	0.2	0.3	0.14	0.6
C21	-	-	-	-	-	-	-	-	-	-	-	-	-	0.8	-	-	-	-	0.02	-
C22	-	-	-	-	-	-	-	-	1.4	-	1.8	1.1	2.4	-	1.6	0.3	0.3	0.13	0.6	0.6
C23-C24	-	-	-	-	-	-	-	-	-	-	-	1.8	-	-	-	-	-	0.1	0.07	0.2
C25	-	-	-	-	-	-	-	-	1.4	2.1	-	-	-	-	-	-	0.1	0.2	0.14	0.6
C30-C31	-	-	-	-	-	-	-	-	1.4	-	-	-	1.1	-	-	-	0.1	0.1	0.10	0.4
C32	-	-	-	-	-	-	-	-	1.4	-	-	-	-	-	-	-	-	0.1	0.09	0.3
C33-C34	-	-	-	-	-	-	-	-	1.4	2.1	-	1.1	-	3.4	-	-	0.2	0.3	0.15	0.8
C37-C38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	-	-	-	0.5	-	-	-	-	-	-	-	-	-	0.8	-	-	0.1	0.1	0.05	-
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	0.8	-	-	-	-	0.02	-
C44	-	-	-	-	-	0.7	-	-	-	-	-	-	-	-	-	1.6	0.1	0.1	0.06	-
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C50	-	-	-	-	-	-	0.7	2.8	5.4	18.5	15.0	9.1	5.3	4.8	6.9	1.6	2.5	3.3	0.50	9.4
C51	-	-	-	-	-	-	-	-	-	-	-	-	-	0.8	-	-	-	-	0.02	-
C52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C53	-	-	-	-	-	0.7	2.7	3.5	6.5	5.7	32.1	21.8	17.0	5.7	17.2	9.6	4.3	5.0	0.60	13.2
C54	-	-	-	-	-	-	-	-	1.1	-	-	-	-	0.8	-	-	0.1	0.1	0.07	0.2
C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C56	-	-	-	-	-	0.7	-	-	1.1	-	4.3	1.8	-	2.4	1.7	-	0.4	0.5	0.20	1.1
C57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	0.7	-	-	-	-	-	-	-	-	-	-	-	0.04	-
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	1.4	-	-	-	-	-	-	0.1	0.1	0.09	0.3
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	-	-	-	-	-	-	1.4	-	-	-	2.1	-	-	-	-	-	0.1	0.2	0.12	0.3
C73	-	-	-	-	-	-	-	-	-	-	4.3	1.8	-	-	-	-	0.1	0.3	0.17	0.9
C74	-	-	-	-	0.8	-	-	-	-	-	-	1.8	-	-	-	-	0.1	0.1	0.10	0.2
C81	-	-	-	-	0.8	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.06	-
C82-C85,C96	-	-	-	-	-	-	-	-	1.1	1.4	-	-	-	0.8	-	1.6	0.2	0.2	0.11	0.5
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.4	-	0.1	0.1	0.05	-
C91	-	0.5	-	-	-	-	-	-	1.1	-	2.1	-	-	-	-	-	0.1	0.2	0.13	0.6
C92-C94	-	-	-	1.1	-	-	-	0.7	-	-	-	1.8	-	-	-	-	0.2	0.2	0.11	0.4
C95	-	0.5	-	-	-	0.7	-	-	-	2.8	-	-	-	-	-	-	0.2	0.3	0.14	0.6
O&U *	-	-	-	-	-	-	0.7	0.7	1.1	4.3	6.4	1.8	3.2	3.2	10.3	3.2	1.2	1.3	0.29	2.8
All	-	1.0	-	1.6	2.3	2.8	7.4	8.3	20.5	54.1	83.4	43.5	35.1	29.1	46.5	25.7	13.4	15.7	1.06	39.6

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE BRE-9(a): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk) of individual sites (ICD-10) based on age specific rates (from 0-64 years and from 0-74 Years): 2009 - Males

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	-	-	-	-
C01-C02	Tongue	0.2	0.2	0.3	0.3
C03-C06	Mouth	0.3	0.3	0.4	0.4
C07-C08	Salivary Gland	-	-	-	-
C09	Tonsil	-	-	0.1	0.1
C10	Oth. Oropharynx	-	-	-	-
C11	Nasopharynx	-	-	-	-
C12-C13	Hypopharynx	0.1	0.1	0.2	0.2
C14	Pharynx Unspecified	-	-	-	-
C15	Oesophagus	0.2	0.2	0.3	0.3
C16	Stomach	0.1	0.1	0.2	0.2
C17	Small Intestine	-	-	-	-
C18	Colon	0.1	0.1	0.2	0.2
C19-C20	Rectum	0.1	0.1	0.2	0.2
C21	Anus & Anal Canal	-	-	-	-
C22	Liver	0.2	0.2	0.2	0.2
C23-C24	Gallbladder etc.	-	-	-	-
C25	Pancreas	-	-	0.1	0.1
C30-C31	Nose, Sinuses etc.	-	-	-	-
C32	Larynx	0.1	0.1	0.2	0.2
C33-C34	Lung etc.	0.2	0.2	0.2	0.2
C37-C38	Other Thoracic Organs	-	-	-	-
C40-C41	Bone	-	-	0.1	0.1
C43	Melanoma of Skin	-	-	-	-
C44	Other Skin	0.1	0.1	0.1	0.1
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-
C50	Breast	-	-	0.1	0.1
C60	Penis	0.1	0.1	0.1	0.1
C61	Prostate	0.1	0.1	0.2	0.2
C62	Testis	0.1	0.1	0.1	0.1
C63	Other Male Genital	-	-	-	-
C64	Kidney etc.	0.1	0.1	0.1	0.1
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	0.1	0.1	0.1	0.1
C68	Uns.Urinary Organs	-	-	-	-
C69	Eye	-	-	-	-
C70-C72	Brain, Nervous System	0.1	0.1	0.1	0.1
C73	Thyroid	-	-	-	-
C74	Adrenal Gland	-	-	-	-
C81	Hodgkins Disease	-	-	-	-
C82-C85,C96	NHL	0.2	0.2	0.2	0.2
C88	Malig Imn.Prol D	-	-	-	-
C90	Multiple Myeloma	-	-	-	-
C91	Lymphoid Leuk.	-	-	-	-
C92-C94	Myeloid Leukaemia	0.1	0.1	0.1	0.1
C95	Leukaemia Uns	0.1	0.1	0.1	0.1
O&U *	Other and Uns	0.4	0.4	0.5	0.5
	All Sites	3.50	3.44	4.79	4.67

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE BRE-9(b): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk) of individual sites (ICD-10) based on age specific rates (from 0-64 years and from 0-74 Years): 2009 - Females

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	-	-	-	-
C01-C02	Tongue	0.2	0.2	0.2	0.2
C03-C06	Mouth	0.1	0.1	0.2	0.2
C07-C08	Salivary Gland	-	-	-	-
C09	Tonsil	-	-	-	-
C10	Oth. Oropharynx	-	-	-	-
C11	Nasopharynx	-	-	-	-
C12-C13	Hypopharynx	-	-	0.1	0.1
C14	Pharynx Unspecified	-	-	-	-
C15	Oesophagus	0.1	0.1	0.2	0.2
C16	Stomach	-	-	-	-
C17	Small Intestine	-	-	-	-
C18	Colon	0.1	0.1	0.1	0.1
C19-C20	Rectum	-	-	-	-
C21	Anus & Anal Canal	-	-	-	-
C22	Liver	-	-	0.1	0.1
C23-C24	Gallbladder etc.	-	-	0.1	0.1
C25	Pancreas	-	-	-	-
C30-C31	Nose, Sinuses etc.	-	-	-	-
C32	Larynx	-	-	-	-
C33-C34	Lung etc.	-	-	0.1	0.1
C37-C38	Other Thoracic Organs	-	-	-	-
C40-C41	Bone	-	-	-	-
C43	Melanoma of Skin	-	-	-	-
C44	Other Skin	-	-	0.1	0.1
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-
C50	Breast	1.3	1.3	1.5	1.5
C51	Vulva	-	-	-	-
C52	Vagina	-	-	0.1	0.1
C53	Cervix Uteri	1.7	1.7	2.0	2.1
C54	Corpus Uteri	0.1	0.1	0.1	0.1
C55	Uterus Unspecified	-	-	-	-
C56	Ovary etc.	0.2	0.2	0.3	0.3
C57	Other Female Genital	-	-	-	-
C58	Placenta	-	-	-	-
C64	Kidney etc.	-	-	-	-
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	-	-	-	-
C68	Uns.Urinary Organs	-	-	-	-
C69	Eye	-	-	-	-
C70-C72	Brain, Nervous System	0.1	0.1	0.1	0.1
C73	Thyroid	0.1	0.1	0.1	0.1
C74	Adrenal Gland	-	-	-	-
C81	Hodgkins Disease	-	-	-	-
C82-C85,C96	NHL	0.1	0.1	0.1	0.1
C88	Malig Imn.Prol D	-	-	-	-
C90	Multiple Myeloma	-	-	-	-
C91	Lymphoid Leuk.	-	-	-	-
C92-C94	Myeloid Leukaemia	0.1	0.1	0.1	0.1
C95	Leukaemia Uns	-	-	-	-
O&U *	Other and Uns	0.2	0.2	0.2	0.2
	All Sites	4.83	4.71	5.90	5.73

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)