

POPULATION BASED CANCER REGISTRY, NAGALAND

Naga Hospital Authority, Kohima

Dr V. Khamo, Principal Investigator

Dr Kedozeto Punyu, Co-Principal Investigator

The Population Based Cancer Registry, Nagaland was established in June 2009 at Naga Hospital Authority, Kohima under the Department of Pathology and functioning under the National Cancer Registry Programme (NCRP) of the Indian Council of Medical Research (ICMR) with the main objective to provide base line information for identifying cancer cases from all over the state, carry out epidemiological research on cancer and generate reliable morbidity and mortality data on cancer in the state.

The Registry covers Kohima and Dimapur districts. Most of the patients from the other districts come to these two main districts for treatment, management and referral outside the state. Method of collection of data is through active registration. Information on cancer cases is obtained from the government hospitals, private institutions, nursing homes, diagnostic labs, churches and prayer houses. The staff visit the various sources of registration to interview each cancer patient as well as those suspected of having cancer and their socio-demographic details are collected. Later, the case records of these patients are obtained to extract information on clinical items such as method of diagnosis, stage of the disease, site of cancer, treatment details etc.

Cancer patients referred for treatment outside by the concerned doctors are directed to the PBCR for their referral notes, whereby these cases are registered simultaneously. In this way, patients are directly interviewed and information as to where the patients are going for their treatment is obtained.

A cancer registration format is also kept in all the registry sources, whereby the staff interview the cancer patients who are undergoing treatment or are being investigated for cancer. Case records maintained by these sources are examined whereby the available records of these patients are obtained for further follow-up with the patients directly or for verification with the concerned doctor and all the information is then cross-checked for completeness of data. Care is taken to prevent duplication of an entry relating to a patient already registered. From the available case files, detailed information of investigation and treatment are entered in the core proforma and coded according to ICD-0-3 and ICD-10.

Cancer Mortality data is collected from the different sources of registration, the office of the Birth & Death under the Department of Economics & Statistics, cemeteries, crematoriums and mostly from the obituaries published in the various local papers. However, cancer mortality data is limited due to lack

of proper maintenance of mortality data in the office of Birth & Death, inadequate information and non-maintenance of registers in the public cemeteries/crematoriums etc.

List of PBCR Staff

Research Scientist	:	Dr Loso Chalai
Programmer	:	Mr Nothutso Khamo
Statistician	:	Ms Melevolu Hiese
Social Investigators	:	Ms Bendangnaro Walling Mr Neithovilie Keyho Ms T. Katonili Zhimomi Mr Mezhúkhriezo Mepfhúo
Field Worker	:	Mr Khrowepe Sarah Mr Rukuvo Sakhamo
Data Entry Operator	:	Ms Kewenyilo-ú Kapfo

TABLE NLS-1: Main Sources of Registration of Incident Cases of Cancer: 2010
Nagaland

Name of the Institution	Number	%
ZION	92	28.0
NHAK	86	26.2
Cancer Atlas	39	11.9
District Hospital	27	8.2
Diagnostic	27	8.2
Oking	22	6.7
Referral	14	4.3
Max Care	11	3.4
Bethel	8	2.4
Others	2	0.6
Total	328	100.0

- 1. Institutions listed have registered at least one percent of all cases in the registry for the year 2010.*
- 2. The numbers and proportion listed are the minimum number of cases. Institutions could have registered/ reported more cases, since duplicate registrations and non-resident/registry cases are not included.*

Figure NLS -1
Population Pyramid showing Age Distribution: 2010
NAGALAND




TABLE NLS-2
Population by Five Year Age Group and Gender: 2010
Number and Relative Proportion (%)
NAGALAND

Age Group	Males		Females	
	Number	%	Number	%
00-04	32078	9.6	32814	10.7
05-09	41107	12.4	40706	13.3
10-14	43613	13.1	42785	14.0
15-19	40165	12.1	38549	12.6
20-24	33930	10.2	32555	10.6
25-29	29090	8.7	29379	9.6
30-34	24672	7.4	21418	7.0
35-39	24276	7.3	20321	6.6
40-44	18111	5.4	13950	4.6
45-49	15332	4.6	11561	3.8
50-54	11262	3.4	7105	2.3
55-59	6675	2.0	4561	1.5
60-64	4783	1.4	3586	1.2
65-69	2935	0.9	2464	0.8
70-74	2140	0.6	1634	0.5
75+	2714	0.8	2450	0.8
Total	332883	100.00	305838	100.00

TABLE NLS-3(a): Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2010 - Males

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	0.46
C01-C02	Tongue	-	-	-	-	-	-	-	-	-	2	1	1	2	-	-	1	-	7	3.21
C03-C06	Mouth	-	-	-	-	-	-	1	-	-	2	-	2	-	-	-	1	-	6	2.75
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.46
C09	Tonsil	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	3	1.38
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	0.92
C11	Nasopharynx	-	-	-	-	-	-	-	1	10	11	7	5	1	1	4	2	-	42	19.27
C12-C13	Hypopharynx	-	-	-	-	-	-	-	-	1	4	1	6	1	-	1	3	-	17	7.80
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	Oesophagus	-	-	-	-	-	-	1	3	4	7	3	5	8	3	-	1	-	35	16.06
C16	Stomach	-	-	-	-	-	1	1	1	2	4	2	4	6	5	5	7	-	38	17.43
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	1	-	5	2.29
C19-C20	Rectum	-	-	-	-	-	-	-	-	1	-	1	-	1	2	1	1	-	7	3.21
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.46
C22	Liver	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	0.92
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.46
C25	Pancreas	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	2	0.92
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.46
C32	Larynx	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	4	1.83
C33-C34	Lung etc.	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	1	-	5	2.29
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	Bone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	1	-	-	-	1	2	1	-	1	-	2	-	8	3.67
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	1	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	4	1.83
C50	Breast	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.46
C60	Penis	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	3	1.38
C61	Prostate	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.46
C62	Testis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	2	0.92
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.46
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C73	Thyroid	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	0.46
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	NHL	-	-	2	1	-	-	-	1	1	-	1	-	1	1	2	-	-	10	4.59
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	Lymphoid Leuk.	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.46
C92-C94	Myeloid Leukaemia	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	3	1.38
C95	Leukaemia Uns	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.46
O&U*	Other and Uns	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	2	0.92
	All Sites	-	3	2	1	2	3	3	10	23	38	24	28	26	15	19	21	-	218	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE NLS-3(b): Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2010 - Females

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	Tongue	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.91
C03-C06	Mouth	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	4	3.64
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	Nasopharynx	-	-	-	-	-	1	3	2	4	1	1	-	-	-	-	-	-	12	10.91
C12-C13	Hypopharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	Oesophagus	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	4	3.64
C16	Stomach	-	-	-	-	1	-	1	2	-	2	2	1	1	3	2	1	-	16	14.55
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	-	-	-	-	-	-	1	1	2	-	-	-	1	2	-	7	6.36
C19-C20	Rectum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	0.91
C22	Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	3	2.73
C25	Pancreas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.91
C33-C34	Lung etc.	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.91
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	Bone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	1.82
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1.82
C50	Breast	-	-	-	-	-	1	-	1	-	5	1	1	1	1	2	-	-	13	11.82
C51	Vulva	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	Vagina	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.91
C53	Cervix Uteri	-	-	-	-	-	-	4	5	2	5	1	-	2	1	-	1	-	21	19.09
C54	Corpus Uteri	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C55	Uterus Unspecified	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.91
C56	Ovary etc.	-	-	-	-	-	1	-	-	1	1	-	2	2	-	-	-	-	7	6.36
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.91
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, NS	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.91
C73	Thyroid	-	-	-	-	-	1	1	2	1	1	-	-	-	-	-	-	-	6	5.45
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	NHL	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	2	1.82
C88	Malig Imm.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.91
C92-C94	Myeloid Leukaemia	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	1.82
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U*	Other and Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All Sites	-	1	1	-	1	4	10	13	12	22	11	5	11	7	6	6	-	110	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE NLS-4(a): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2010 - Males

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	2.9	-	-	-	-	-	-	-	-	-	-	-	0.3	0.24	0.24	-
C01-C02	-	-	-	-	-	-	-	-	-	13.0	8.9	15.0	41.8	-	-	36.8	2.1	4.24	1.67	11.3
C03-C06	-	-	-	-	-	-	4.1	-	-	13.0	-	30.0	-	-	-	36.8	1.8	2.96	1.28	6.4
C07-C08	-	-	-	-	-	-	-	-	-	6.5	-	-	-	-	-	-	0.3	0.39	0.39	1.3
C09	-	-	-	-	-	-	-	4.1	-	-	-	-	20.9	-	46.7	-	0.9	2.02	1.28	3.5
C10	-	-	-	-	-	-	-	-	-	-	8.9	-	-	-	46.7	-	0.6	1.38	1.03	1.4
C11	-	-	-	-	-	-	-	4.1	55.2	71.7	62.2	74.9	20.9	34.1	186.9	73.7	12.6	21.04	3.51	47.8
C12-C13	-	-	-	-	-	-	-	-	5.5	26.1	8.9	89.9	20.9	-	46.7	110.5	5.1	9.92	2.50	21.8
C14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	-	-	-	-	-	-	4.1	12.4	22.1	45.7	26.6	74.9	167.3	102.2	-	36.8	10.5	19.87	3.66	51.0
C16	-	-	-	-	-	3.4	4.1	4.1	11.0	26.1	17.8	59.9	125.4	170.4	233.6	257.9	11.4	26.24	4.52	34.8
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	-	-	-	-	-	-	-	4.1	11.0	-	-	-	-	34.1	-	36.8	1.5	2.67	1.37	2.9
C19-C20	-	-	-	-	-	-	-	-	5.5	-	8.9	-	20.9	68.1	46.7	36.8	2.1	5.33	2.12	5.2
C21	-	-	-	-	-	-	-	-	-	6.5	-	-	-	-	-	-	0.3	0.39	0.39	1.3
C22	-	-	-	-	-	-	-	-	-	-	-	15.0	-	-	46.7	-	0.6	1.53	1.11	1.9
C23-C24	-	-	-	-	-	-	-	-	-	-	-	-	20.9	-	-	-	0.3	0.84	0.84	2.7
C25	-	-	-	-	-	-	-	-	-	6.5	-	-	-	-	46.7	-	0.6	1.33	1.01	1.3
C30-C31	-	-	-	-	-	-	-	-	-	-	-	-	20.9	-	-	-	0.3	0.84	0.84	2.7
C32	-	-	-	-	2.9	-	-	4.1	5.5	-	8.9	-	-	-	-	-	1.2	1.26	0.65	3.3
C33-C34	-	-	-	-	-	-	-	-	-	-	8.9	30.0	20.9	-	-	36.8	1.5	3.22	1.47	8.0
C37-C38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	3.4	-	-	-	6.5	17.8	15.0	-	34.1	-	73.7	2.4	4.65	1.76	6.1
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	2.4	-	-	-	-	-	-	5.5	6.5	-	-	-	-	46.7	-	1.2	1.90	1.09	2.3
C50	-	-	-	-	-	-	-	-	-	-	8.9	-	-	-	-	-	0.3	0.44	0.44	1.4
C60	-	-	-	-	-	-	-	-	-	6.5	-	-	20.9	-	46.7	-	0.9	2.16	1.31	4.0
C61	-	-	-	-	-	-	-	-	-	-	-	-	-	34.1	-	-	0.3	1.02	1.02	-
C62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	-	4.1	-	-	-	-	20.9	-	-	-	0.6	1.08	0.87	3.5
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36.8	0.3	0.74	0.74	-
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C73	-	-	-	-	-	3.4	-	-	-	-	-	-	-	-	-	-	0.3	0.28	0.28	-
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	-	-	4.6	2.5	-	-	-	4.1	5.5	-	8.9	-	20.9	34.1	93.5	-	3.0	5.39	2.00	6.0
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	-	2.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.24	0.24	-
C92-C94	-	-	-	-	-	-	-	-	-	6.5	17.8	-	-	-	-	-	0.9	1.28	0.74	4.1
C95	-	2.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.24	0.24	-
O&U*	-	-	-	-	-	-	-	-	-	6.5	-	15.0	-	-	-	-	0.6	0.99	0.72	3.2
All	-	7.3	4.6	2.5	5.9	10.3	12.2	41.2	127.0	247.8	213.1	419.5	543.6	511.1	887.9	773.8	65.5	126.1	9.27	239.2

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE NLS-4(b): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2010 - Females

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	-	-	-	-	-	-	-	-	-	-	14.1	-	-	-	-	-	0.3	0.70	0.70	2.3
C03-C06	-	-	-	-	-	-	-	4.9	-	8.6	-	-	27.9	40.6	-	-	1.3	3.15	1.76	6.2
C07-C08	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	-	-	-	-	-	3.4	14.0	9.8	28.7	8.6	14.1	-	-	-	-	-	3.9	4.65	1.41	11.4
C12-C13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	-	-	-	-	-	-	-	-	-	8.6	14.1	-	27.9	40.6	-	-	1.3	3.56	1.87	7.5
C16	-	-	-	-	3.1	-	4.7	9.8	-	17.3	28.1	21.9	27.9	121.8	122.4	40.8	5.2	12.47	3.46	16.2
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	-	-	-	-	-	-	-	-	7.2	8.6	28.1	-	-	-	61.2	81.6	2.3	5.21	2.07	7.6
C19-C20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C21	-	-	-	-	-	-	-	-	7.2	-	-	-	-	-	-	-	0.3	0.43	0.43	1.4
C22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C23-C24	-	-	-	-	-	-	-	-	-	8.6	14.1	-	-	-	61.2	-	1.0	2.45	1.50	3.9
C25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C30-C31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	-	-	-	-	-	-	-	-	-	-	-	-	27.9	-	-	-	0.3	1.12	1.12	3.6
C33-C34	-	-	-	-	-	-	-	-	-	-	-	21.9	-	-	-	-	0.3	0.88	0.88	2.8
C37-C38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	-	-	-	8.6	-	-	-	-	-	40.8	0.7	1.34	0.97	1.7
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	2.5	-	-	-	-	-	-	-	-	-	-	-	-	-	40.8	0.7	1.06	0.85	-
C50	-	-	-	-	-	3.4	-	4.9	-	43.2	14.1	21.9	27.9	40.6	122.4	-	4.3	9.52	2.91	18.0
C51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	-	-	-	-	-	-	-	-	-	-	-	-	27.9	-	-	-	0.3	1.12	1.12	3.6
C53	-	-	-	-	-	-	18.7	24.6	14.3	43.2	14.1	-	55.8	40.6	-	40.8	6.9	11.02	2.76	25.4
C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C55	-	-	-	-	-	-	-	-	-	8.6	-	-	-	-	-	-	0.3	0.52	0.52	1.7
C56	-	-	-	-	-	3.4	-	-	7.2	8.6	-	43.9	55.8	-	-	-	2.3	5.21	2.13	15.9
C57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	-	-	-	27.9	-	-	-	0.3	1.12	1.12	3.6
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	-	-	-	-	-	-	-	-	-	-	14.1	-	-	-	-	-	0.3	0.70	0.70	2.3
C73	-	-	-	-	-	3.4	4.7	9.8	7.2	8.6	-	-	-	-	-	-	2.0	2.09	0.88	5.0
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	-	-	-	-	-	-	4.7	-	7.2	-	-	-	-	-	-	-	0.7	0.71	0.51	1.4
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	-	-	-	-	-	-	-	-	-	8.6	-	-	-	-	-	-	0.3	0.52	0.52	1.7
C92-C94	-	-	2.3	-	-	-	-	-	7.2	-	-	-	-	-	-	-	0.7	0.64	0.48	1.4
C95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All	-	2.5	2.3	-	3.1	13.6	46.7	64.0	86.0	190.3	154.8	109.6	306.7	284.1	367.2	244.9	36.0	70.2	7.53	144.6

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE NLS-5(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2010 - Males

ICD-10	Site	Clinical		Microscopic		X-Ray/Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C01-C02	Tongue	-	-	7	100.0	-	-	-	-	-	-	-	-	7	100.0
C03-C06	Mouth	-	-	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C07-C08	Salivary Gland	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C09	Tonsil	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C10	Oth. Oropharynx	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C11	Nasopharynx	-	-	42	100.0	-	-	-	-	-	-	-	-	42	100.0
C12-C13	Hypopharynx	-	-	17	100.0	-	-	-	-	-	-	-	-	17	100.0
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	Oesophagus	-	-	35	100.0	-	-	-	-	-	-	-	-	35	100.0
C16	Stomach	-	-	38	100.0	-	-	-	-	-	-	-	-	38	100.0
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C19-C20	Rectum	-	-	7	100.0	-	-	-	-	-	-	-	-	7	100.0
C21	Anus & Anal Canal	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C22	Liver	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C23-C24	Gallbladder etc.	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C25	Pancreas	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C30-C31	Nose, Sinuses etc.	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C32	Larynx	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C33-C34	Lung etc.	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	Bone	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	8	100.0	-	-	-	-	-	-	-	-	8	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C50	Breast	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C60	Penis	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C61	Prostate	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C62	Testis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, Nervous System	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C73	Thyroid	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	NHL	-	-	10	100.0	-	-	-	-	-	-	-	-	10	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	Lymphoid Leuk.	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C92-C94	Myeloid Leukaemia	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C95	Leukaemia Uns	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
O&U*	Other and Uns	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
	All Sites	-	-	218	100.0	-	-	-	-	-	-	-	-	218	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE NLS-5(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2010 - Females

ICD-10	Site	Clinical		Microscopic		X-Ray/Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	Tongue	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C03-C06	Mouth	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	Nasopharynx	-	-	12	100.0	-	-	-	-	-	-	-	-	12	100.0
C12-C13	Hypopharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	Oesophagus	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C16	Stomach	-	-	16	100.0	-	-	-	-	-	-	-	-	16	100.0
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	7	100.0	-	-	-	-	-	-	-	-	7	100.0
C19-C20	Rectum	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C21	Anus & Anal Canal	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C22	Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C23-C24	Gallbladder etc.	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C25	Pancreas	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C33-C34	Lung etc.	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	Bone	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C50	Breast	-	-	13	100.0	-	-	-	-	-	-	-	-	13	100.0
C51	Vulva	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	Vagina	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C53	Cervix Uteri	-	-	21	100.0	-	-	-	-	-	-	-	-	21	100.0
C54	Corpus Uteri	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C55	Uterus Unspecified	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C56	Ovary etc.	-	-	7	100.0	-	-	-	-	-	-	-	-	7	100.0
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, Nervous System	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C73	Thyroid	-	-	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	NHL	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	Lymphoid Leuk.	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C92-C94	Myeloid Leukaemia	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U*	Other and Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All Sites	-	-	110	100.	-	-	-	-	-	-	-	-	110	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE NLS-6(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2010 - Males

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	-	-	1	100.0	-	-	-	-	-	-	1	100.0
C01-C02	Tongue	6	85.7	-	-	1	14.3	-	-	-	-	-	-	7	100.0
C03-C06	Mouth	6	100.0	-	-	-	-	-	-	-	-	-	-	6	100.0
C07-C08	Salivary Gland	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C09	Tonsil	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C10	Oth. Oropharynx	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C11	Nasopharynx	42	100.0	-	-	-	-	-	-	-	-	-	-	42	100.0
C12-C13	Hypopharynx	17	100.0	-	-	-	-	-	-	-	-	-	-	17	100.0
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	Oesophagus	35	100.0	-	-	-	-	-	-	-	-	-	-	35	100.0
C16	Stomach	38	100.0	-	-	-	-	-	-	-	-	-	-	38	100.0
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	5	100.0	-	-	-	-	-	-	-	-	-	-	5	100.0
C19-C20	Rectum	7	100.0	-	-	-	-	-	-	-	-	-	-	7	100.0
C21	Anus & Anal Canal	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C22	Liver	1	50.0	-	-	1	50.0	-	-	-	-	-	-	2	100.0
C23-C24	Gallbladder etc.	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C25	Pancreas	1	50.0	-	-	1	50.0	-	-	-	-	-	-	2	100.0
C30-C31	Nose, Sinuses etc.	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C32	Larynx	4	100.0	-	-	-	-	-	-	-	-	-	-	4	100.0
C33-C34	Lung etc.	1	20.0	-	-	4	80.0	-	-	-	-	-	-	5	100.0
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	Bone	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	8	100.0	-	-	-	-	-	-	-	-	-	-	8	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	4	100.0	-	-	-	-	-	-	-	-	-	-	4	100.0
C50	Breast	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C60	Penis	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C61	Prostate	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C62	Testis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	2	100.0	-	-	-	-	-	-	2	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, Nervous System	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C73	Thyroid	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	NHL	3	30.0	-	-	7	70.0	-	-	-	-	-	-	10	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	1	100.0	-	-	1	100.0
C92-C94	Myeloid Leukaemia	-	-	-	-	-	-	-	-	3	100.0	-	-	3	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	1	100.0	-	-	1	100.0
O&U*	Other and Uns	-	-	-	-	2	100.0	-	-	-	-	-	-	2	100.0
	All Sites	194	89.0	-	-	19	8.7	-	-	5	2.3	-	-	218	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE NLS-6(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2010 - Females

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	Tongue	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C03-C06	Mouth	4	100.0	-	-	-	-	-	-	-	-	-	-	4	100.0
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	Nasopharynx	12	100.0	-	-	-	-	-	-	-	-	-	-	12	100.0
C12-C13	Hypopharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	Oesophagus	4	100.0	-	-	-	-	-	-	-	-	-	-	4	100.0
C16	Stomach	15	93.8	-	-	1	6.3	-	-	-	-	-	-	16	100.0
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	6	85.7	-	-	1	14.3	-	-	-	-	-	-	7	100.0
C19-C20	Rectum	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C21	Anus & Anal Canal	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C22	Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C23-C24	Gallbladder etc.	2	66.7	-	-	1	33.3	-	-	-	-	-	-	3	100.0
C25	Pancreas	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C33-C34	Lung etc.	-	-	-	-	1	100.0	-	-	-	-	-	-	1	100.0
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	Bone	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C50	Breast	11	84.6	-	-	2	15.4	-	-	-	-	-	-	13	100.0
C51	Vulva	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	Vagina	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C53	Cervix Uteri	17	81.0	-	-	4	19.0	-	-	-	-	-	-	21	100.0
C54	Corpus Uteri	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C55	Uterus Unspecified	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C56	Ovary etc.	7	100.0	-	-	-	-	-	-	-	-	-	-	7	100.0
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, Nervous System	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C73	Thyroid	5	83.3	-	-	1	16.7	-	-	-	-	-	-	6	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	NHL	1	50.0	-	-	1	50.0	-	-	-	-	-	-	2	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	1	100.0	-	-	1	100.0
C92-C94	Myeloid Leukaemia	-	-	-	-	-	-	-	-	2	100.0	-	-	2	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U*	Other and Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All Sites	95	86.4	-	-	12	10.9	-	-	3	2.7	-	-	110	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE NLS-7(a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10): 2010 – Males

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	Tongue	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C03-C06	Mouth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	Nasopharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C12-C13	Hypopharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	Oesophagus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C16	Stomach	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C19-C20	Rectum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C25	Pancreas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C33-C34	Lung etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	Bone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47 + C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C50	Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C60	Penis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C61	Prostate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C62	Testis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, Nervous System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C73	Thyroid	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	NHL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C88	Malg Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C92-C94	Myeloid Leukaemia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U*	Other and Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All Sites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE NLS-7(b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10): 2010 – Females

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	Tongue	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C03-C06	Mouth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	Nasopharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C12-C13	Hypopharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	Oesophagus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C16	Stomach	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C19-C20	Rectum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C25	Pancreas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C33-C34	Lung etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	Bone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C50	Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C51	Vulva	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	Vagina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C53	Cervix Uteri	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C54	Corpus Uteri	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C55	Uterus Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C56	Ovary etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, Nervous System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C73	Thyroid	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	NHL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C88	Malignant Imm.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C92-C94	Myeloid Leukaemia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U*	Other and Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All Sites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE NLS-8(a): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2010 - Males

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C03-C06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C07-C08	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C12-C13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C19-C20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C23-C24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C30-C31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C33-C34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C37-C38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C92-C94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE NLS-8(b): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2010 - Females

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C03-C06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C07-C08	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C12-C13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C19-C20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C23-C24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C30-C31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C33-C34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C37-C38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C92-C94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE NLS-9(a): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk)
of individual sites (ICD-10) based on age specific rates
(from 0-64 years and from 0-74 Years) 2010 - Males**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	-	-	-	-
C01-C02	Tongue	0.4	0.4	0.4	0.4
C03-C06	Mouth	0.2	0.2	0.2	0.2
C07-C08	Salivary Gland	-	-	-	-
C09	Tonsil	0.1	0.1	0.4	0.4
C10	Oth. Oropharynx	-	-	0.3	0.3
C11	Nasopharynx	1.4	1.4	2.5	2.6
C12-C13	Hypopharynx	0.8	0.8	1.0	1.0
C14	Pharynx Unspecified	-	-	-	-
C15	Oesophagus	1.8	1.7	2.3	2.3
C16	Stomach	1.3	1.3	3.2	3.3
C17	Small Intestine	-	-	-	-
C18	Colon	0.1	0.1	0.2	0.2
C19-C20	Rectum	0.2	0.2	0.7	0.8
C21	Anus & Anal Canal	-	-	-	-
C22	Liver	0.1	0.1	0.3	0.3
C23-C24	Gallbladder etc.	0.1	0.1	0.1	0.1
C25	Pancreas	-	-	0.3	0.3
C30-C31	Nose, Sinuses etc.	0.1	0.1	0.1	0.1
C32	Larynx	0.1	0.1	0.1	0.1
C33-C34	Lung etc.	0.3	0.3	0.3	0.3
C37-C38	Other Thoracic Organs	-	-	-	-
C40-C41	Bone	-	-	-	-
C43	Melanoma of Skin	-	-	-	-
C44	Other Skin	0.2	0.2	0.4	0.4
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47+C49	Conn. & Soft Tissue	0.1	0.1	0.3	0.3
C50	Breast	-	-	-	-
C60	Penis	0.1	0.1	0.4	0.4
C61	Prostate	-	-	0.2	0.2
C62	Testis	-	-	-	-
C63	Other Male Genital	-	-	-	-
C64	Kidney etc.	0.1	0.1	0.1	0.1
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	-	-	-	-
C68	Uns.Urinary Organs	-	-	-	-
C69	Eye	-	-	-	-
C70-C72	Brain, Nervous System	-	-	-	-
C73	Thyroid	-	-	-	-
C74	Adrenal Gland	-	-	-	-
C81	Hodgkins Disease	-	-	-	-
C82-C85,C96	NHL	0.2	0.2	0.9	0.9
C88	Malig Imn.Prol D	-	-	-	-
C90	Multiple Myeloma	-	-	-	-
C91	Lymphoid Leuk.	-	-	-	-
C92-C94	Myeloid Leukaemia	0.1	0.1	0.1	0.1
C95	Leukaemia Uns	-	-	-	-
O&U*	Other and Uns	0.1	0.1	0.1	0.1
	All Sites	8.17	7.85	15.17	14.07

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE NLS-9(b): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk)
of individual sites (ICD-10) based on age specific rates
(from 0-64 years and from 0-74 Years) 2010 - Females**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	-	-	-	-
C01-C02	Tongue	0.1	0.1	0.1	0.1
C03-C06	Mouth	0.2	0.2	0.4	0.4
C07-C08	Salivary Gland	-	-	-	-
C09	Tonsil	-	-	-	-
C10	Oth. Oropharynx	-	-	-	-
C11	Nasopharynx	0.4	0.4	0.4	0.4
C12-C13	Hypopharynx	-	-	-	-
C14	Pharynx Unspecified	-	-	-	-
C15	Oesophagus	0.3	0.3	0.5	0.5
C16	Stomach	0.6	0.6	1.8	1.8
C17	Small Intestine	-	-	-	-
C18	Colon	0.2	0.2	0.5	0.5
C19-C20	Rectum	-	-	-	-
C21	Anus & Anal Canal	-	-	-	-
C22	Liver	-	-	-	-
C23-C24	Gallbladder etc.	0.1	0.1	0.4	0.4
C25	Pancreas	-	-	-	-
C30-C31	Nose, Sinuses etc.	-	-	-	-
C32	Larynx	0.1	0.1	0.1	0.1
C33-C34	Lung etc.	0.1	0.1	0.1	0.1
C37-C38	Other Thoracic Organs	-	-	-	-
C40-C41	Bone	-	-	-	-
C43	Melanoma of Skin	-	-	-	-
C44	Other Skin	-	-	-	-
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47 + C49	Conn. & Soft Tissue	-	-	-	-
C50	Breast	0.6	0.6	1.4	1.4
C51	Vulva	-	-	-	-
C52	Vagina	0.1	0.1	0.1	0.1
C53	Cervix Uteri	0.9	0.8	1.1	1.1
C54	Corpus Uteri	-	-	-	-
C55	Uterus Unspecified	-	-	-	-
C56	Ovary etc.	0.6	0.6	0.6	0.6
C57	Other Female Genital	-	-	-	-
C58	Placenta	-	-	-	-
C64	Kidney etc.	-	-	-	-
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	0.1	0.1	0.1	0.1
C68	Uns.Urinary Organs	-	-	-	-
C69	Eye	-	-	-	-
C70-C72	Brain, Nervous System	0.1	0.1	0.1	0.1
C73	Thyroid	0.2	0.2	0.2	0.2
C74	Adrenal Gland	-	-	-	-
C81	Hodgkins Disease	-	-	-	-
C82-C85,C96	NHL	0.1	0.1	0.1	0.1
C88	Malig Imn.Prol D	-	-	-	-
C90	Multiple Myeloma	-	-	-	-
C91	Lymphoid Leuk.	-	-	-	-
C92-C94	Myeloid Leukaemia	-	-	-	-
C95	Leukaemia Uns	-	-	-	-
O&U*	Other and Uns	-	-	-	-
	All Sites	4.90	4.78	8.15	7.83

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)